

550AXXX STORM SEWERS, RUBBER GASKET, CLASS A, TYPE X XX

(LCDOT) This pay item and special provision is for use on projects where storm sewers cross water mains. The use of this type pipe and connection is allowed by IEPA – See Item 5 from the March 2010 Design Meeting. Delete this note from the Contract Specifications

Effective: May 14, 2015

Description: This work shall consist of furnishing and constructing storm sewers which cross over or under water main or water service lines diagonally or perpendicularly.

Materials: *The storm sewer materials shall be limited to reinforced concrete pipe with rubber gasket joints.*

Reinforced concrete pipe shall be according to Article 1042.06 of the “Standard Specifications”.

Rubber gaskets shall be according to Article 1056.01 of the “Standard Specifications”.

General: The work shall be performed according to Section 550 of the “Standard Specifications”, “The Standard Specifications for Water and Sewer Construction in Illinois”, 7th edition, 2014 and 35 Illinois Administrative Code 653.119.

Method of Measurement: Storm Sewers, Rubber Gasket, Class A, of the type and diameter specified, will be measured for payment in place in feet. The measurement will be made according to Article 550.09 of the “Standard Specifications”.

Basis of Payment: This work will be paid for at the contract unit price per foot for STORM SEWERS, RUBBER GASKET, CLASS A, of the type and diameter specified, *The unit price shall include all equipment, materials, and labor necessary to furnish and install the storm sewer.*