

60108104 PIPE UNDERDRAINS, TYPE 1, 4" (LCDOT)

Effective: January 1, 2007

Revised: March 3, 2016

Description: This work shall consist of constructing pipe underdrains.

Materials: The pipe underdrain materials shall meet the requirements of Article 601.02(b) of the "Standard Specifications" except that:

The pipe shall be limited to:

- (2) *Perforated Polyvinyl Chloride (PVC) Pipe [1040.03(b)]*
- (3) *Perforated Corrugated Polyvinyl Chloride (PVC) Pipe with a Smooth Interior [1040.03(c)]*
- (5) *Perforated Corrugated Polyethylene (PE) Pipe with a Smooth Interior [1040.04(a)]*

General: The work shall be performed according to Section 601 of the "Standard Specifications" and the following:

Rodent shields and square concrete collars (where required) as shown on LCDOT standard drawing LC6020, shall be included in PIPE UNDERDRAINS, TYPE 1, 4".

Method of Measurement: Pipe underdrains shall be measured in place, in feet, of actual pipe installed.

Basis of Payment: This work will be paid for at the contract unit price per foot for PIPE UNDERDRAINS, TYPE 1, 4". *The unit price shall include furnishing and placing all pipe, fittings, connecting pipes, rodent shields, bedding and concrete collars. The unit price shall also include all equipment, materials and labor required to furnish and construct the pipe underdrains.*