

**6060XXXX COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.XX
(ABUTTING EXISTING PAVEMENT) (LCDOT)**

Effective: January 1, 2011
Revised: February 28, 2018

Description: This work shall consist of constructing type B-6.XX concrete curb and gutter abutting existing pavement.

Materials: The materials shall meet the requirements of Article 606.02 of the "Standard Specifications".

General: The work shall be performed according to Section 606 of the "Standard Specifications", IDOT Standard Drawing 606001 and the following:

One inch expansion joints shall be constructed at maximum intervals of 150 feet.

The end treatments as shown on the plans shall conform to the applicable special details. Where no end treatment is specified, curb and gutter endings shall be transitioned to a flat section over the final six feet

Prior to placing the curb and gutter the existing pavement shall be saw cut full depth to provide a clean edge to form the curb and gutter.

Method of Measurement: Combination Concrete Curb and Gutter, Type B-6.XX (Abutting Existing Pavement) will be measured for payment in feet. The measurement will be made along the face of curb according to Article 606.14 of the "Standard Specifications". Transitions from one type of curb and gutter to another will be included in the measured quantities for the type having the largest cross sectional area of concrete.

Basis of Payment: This work will be paid for at the contract unit price per foot for COMBINATION CONCRETE CURB AND GUTTER, (ABUTTING EXISTING PAVEMENT) of the type specified. *The unit price shall include all equipment, labor and materials required to complete the construction of the curb and gutter. Any and all excavation, saw cutting, material removal, and any PCC front filling to depth specified by the Engineer, required to construct the curb and gutter shall be included in the unit price for the COMBINATION CONCRETE CURB AND GUTTER, (ABUTTING EXISTING PAVEMENT) of the type specified. Any removal and replacement of a deteriorated pavement edge adjacent to the proposed curb and gutter will be paid for as CLASS D PATCHES of the appropriate type and depth specified.*