

## **40201000 AGGREGATE FOR TEMPORARY ACCESS (LCDOT)**

Effective: January 1, 2007

Revised: May 5, 2022

**Description:** This work shall consist of furnishing and constructing temporary aggregate driveways and roads to maintain ingress and egress to all abutting properties during construction operations.

**Materials:** The aggregate shall meet the requirements of Article 1004.04 of the "Standard Specifications" except that:

*The aggregate material shall be limited to crushed gravel, crushed stone or crushed concrete. The plasticity index requirements and the requirement to add water at the central mixing plant will be waived.*

**General:** The work shall be performed according to Article 402.10 of the "Standard Specifications" and the following:

*Each temporary access shall be constructed to dimensions determined by the Engineer.*

*After the temporary aggregate access has served its purpose, the aggregate shall be removed. Suitable aggregate may be utilized for another purpose, such as embankment construction or driveway apron construction, with the approval of the Engineer.*

*Aggregate not reused, shall be removed and disposed of outside the right-of-way according to Article 202.03 of the "Standard Specifications".*

**Method of Measurement:** Aggregate for Temporary Access will be measured for payment in tons according to Article 311.08(b) of the "Standard Specifications".

When the unit of measurement for the aggregate is tons, the aggregate may be weighed in trucks or freight cars. The Contractor shall furnish or arrange for the use of scales of a type approved by the Engineer. If, at the time the Type B aggregate is weighed, it contains more than six percent of absorbed and free moisture by weight, a deduction for the amount of moisture in excess of this amount will be made in determining the pay quantity. Any aggregate that has been stockpiled will be weighed at the time it is incorporated into the work.

*Measurement will be made for the initial use of the aggregate only, regardless of the number of times the aggregate is moved and/or reused.*

**Basis of Payment:** This work will be paid for at the contract unit price per ton for AGGREGATE FOR TEMPORARY ACCESS. *The unit price shall include all equipment, materials and labor required to furnish, transport, place, maintain and remove the aggregate.*