



ERG Lab ID # 0040818-01

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT005 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H1-813</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/16/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>[Signature]</u>	Date: <u>4/1/20</u>
	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Aut-1197130-M1-31</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>27</u> psig psia "Hg" (Circle one)	
	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>4</u> psig psia "Hg" (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>X</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
	Received by: <u>[Signature]</u>	Date: <u>4/8/20</u>
Lab Recovery	Lab Final Can. Press.: <u>4.00</u> psig "Hg" (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0040818-02

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18884 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H1-821</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/24/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>EM</u>	Date: <u>4/1/20</u>
	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>A-11197150-M3-31</u>	Elapsed Timer Reset (Y/N): <u>-</u>
Lab Recovery	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> psig <u>psia</u> (" <u>Hg</u> " (Circle one))	
	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
Lab Recovery	Field Final Can. Press.: <u>7</u> psig <u>psia</u> (" <u>Hg</u> " (Circle one))	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
	Received by: <u>RM</u>	Date: <u>4/8/20</u>
Lab Recovery	Lab Final Can. Press.: <u>4.00</u> psig <u>psia</u> (" <u>Hg</u> " (Circle one))	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0040818-03

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A21015 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H2-820</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/25/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>JL</u>	Date: <u>4/1/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-VA-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig <u>psia</u> "Hg" (Circle one)	
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig <u>psia</u> "Hg" (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
Lab Recovery	Received by: <u>RL</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig <u>psia</u> "Hg" (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

6-2016

Comments: _____



ERG Lab ID # 0040818-04

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18822</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: _____	Cleaning Batch #: <u>172-821</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/26/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: _____
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>JL</u>	Date: <u>4/1/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>N</u>
	System #: <u>Air-1117130-EL-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia Hg (Circle one)	
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24h</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig psia Hg (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>6.50</u> psig Hg (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0040818-05

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SC57 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>112-820</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/25/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>✓</u>		
Relinquished by: <u>[Signature]</u>		Date: <u>4/1/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-V5-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>2</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/6/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>EP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>0.00</u> psig "Hg (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0040818-06

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19654</u> ✓
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
Field Setup	AQS Code: <u>-</u>	Cleaning Batch #: <u>142-820</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/25/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>[Signature]</u>	Date: <u>4/1/20</u>
	Received by: <u>CM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>4.0-1197130-VI-31</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>28</u> psig psia Hg (Circle one)	
	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>7</u> psig psia Hg (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
	Received by: <u>RP</u>	Date: <u>4/8/20</u>
Lab Recovery	Lab Final Can. Press.: <u>5.50</u> psig Hg (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0040818-07

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19653 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: _____	Cleaning Batch #: <u>142-821</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/24/20</u>
Options:		
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>	
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>→</u>	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>	Date: <u>4/1/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-14-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>28</u> psig psia (Hg) (Circle one)		
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia (Hg) (Circle one)	
	Status: (VALID) VOID (Circle one) Canister Valve Closed (Y/N): <u>Y</u>	
Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>	
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>3.50</u> psig (Hg) (Circle one) Converted to psia: _____	
	Status: (VALID) VOID (Circle one) Gauge: <u>1</u> (2) (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0040818-08

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19293 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-806</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/9/20</u>
	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>	Date: <u>4/1/20</u>	
Field Setup	Received by: <u>EM EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-4/4/2020-R2-3</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> psig psia (Hg (Circle one))	
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>10</u> psig psia (Hg (Circle one))	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig Hg (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 2040818-09

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18808 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-820</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/25/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>	Date: <u>4/1/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-112-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>27</u> psig psia <u>"Hg" (Circle one)</u>	
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia <u>"Hg" (Circle one)</u>	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/6/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>4.50</u> psig <u>"Hg" (Circle one)</u> Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0040818-16

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5071 ✓</u>
	City/State: <u>CORNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-799</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>2/23/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: <u>-</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>		Date: <u>4/1/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>1</u>
	System #: <u>Air -1197130-V3-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>28</u> psig psia Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>LM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>8</u> psig psia Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
Date: <u>4/6/2020</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig Hg (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0040818-11

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>AZ52 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H2-802</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/3/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>—</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Date: <u>4/1/20</u>
	METHANE (Y/N): <u>N</u>	Received by: <u>EM</u>
Field Recovery	Relinquished by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1147150 V4-31</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Lab Recovery	Field Initial Can. Press.: <u>22</u> psig psia <u>Hg</u> (Circle one)	Recovery Date: <u>4/5/2020</u>
	Status: <u>VALID</u> VOID (Circle one)	Sample Duration (3 or 24 hr): <u>24</u>
	Relinquished by: <u>EM</u>	Elapsed Time: _____
	Date: <u>4/6/2020</u>	Field Final Can. Press.: <u>0</u> psig psia <u>Hg</u> (Circle one)
Lab Recovery	Canister Valve Closed (Y/N): <u>X</u>	Received by: <u>RP</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/8/20</u>
	Converted to psia: _____	Lab Final Can. Press.: <u>6.00</u> psig <u>Hg</u> (Circle one)
Gauge: <u>1</u> (Circle one)		If void, why: _____

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



ERG Lab ID # 0040818-12

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A2047 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H2-520</u>
	Collection Date: <u>4/4/2020</u>	Date Can. Cleaned: <u>3/25/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u> </u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>		Date: <u>4/1/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/2/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u> </u>
	System #: <u>41c-1197130-MS-31</u>	Elapsed Timer Reset (Y/N): <u> </u>
	Setup Date: <u>4/4/2020</u>	Canister Valve Opened (Y/N): <u>X</u>
Field Initial Can. Press.: <u>30</u> psig <u>psia</u> "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/5/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: <u> </u>
	Field Final Can. Press.: <u>8</u> psig <u>psia</u> "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
Date: <u>4/6/2020</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/8/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig "Hg" (Circle one) Converted to psia: <u> </u>	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: <u> </u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0041005-01

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>SATOSG ✓</u>
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H1-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	Date: <u>4/2/20</u>
	METHANE (Y/N): <u>N</u>	Received by: <u>EM</u>
Field Recovery	Relinquished by: <u>[Signature]</u>	Date: <u>4-3-2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-1147130-R1-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Lab Recovery	Field Initial Can. Press.: <u>30</u> psig psia <u>Hg</u> (Circle one)	Recovery Date: <u>4-8-2020</u>
	Status: <u>VALID</u> VOID (Circle one)	Sample Duration (3 or 24 hr): <u>24hr</u>
	Relinquished by: <u>DS</u>	Elapsed Time: _____
	Date: <u>4-8-2020</u>	Canister Valve Closed (Y/N): <u>Y</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>8.50</u> psig <u>Hg</u> (Circle one) Converted to psia: _____	Status: <u>VALID</u> VOID (Circle one)
	Gauge: <u>1</u> <u>B</u> (Circle one)	If void, why: _____

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-02

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>19283</u> ✓
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>142-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/19/20</u>
Field Setup	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: _____
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>[Signature]</u>	Date: <u>4/2/20</u>
	Received by: <u>EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11197130-V1-32</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>9</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>DS</u>	Date: <u>4-8-2020</u>
	Received by: <u>[Signature]</u>	Date: <u>4/10/20</u>
Lab Recovery	Lab Final Can. Press.: <u>9.00</u> psig <u>Hg</u> (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



ERG Lab ID # 0041005-05

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>A21102 ✓</u>
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: _____
TOXICS (Y/N): <u>Y Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>		Date: <u>4/2/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11197130-R2-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>730</u> _____ psig psia Hg (Circle one)		
Field Recovery	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>10</u> _____ psig psia Hg (Circle one)	Canister Valve Closed (Y/N): <u>✓</u>
	Status: VALID VOID (Circle one)	Date: <u>4-8-2020</u>
Relinquished by: <u>DS</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>8.50</u> _____ psig Hg (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: Sample outside 30 days



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-04

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>SAT039</u>
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>172-823</u>
	Collection Date: <u>4-7-2010</u>	Date Can. Cleaned: <u>3/31/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>[Signature]</u>	Date: <u>4/2/20</u>
	Received by: <u>EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air 11197130-V2-32</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4-7-2010</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4-8-2010</u>	Sample Duration (3 or 24 hr): <u>24 hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>10</u> psig psia <u>Hg</u> (Circle one)	
Lab Recovery	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>DS</u>	Date: <u>4-8-2020</u>
	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>9.50</u> psig <u>Hg</u> (Circle one) Converted to psia: _____	
Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-05

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>SAT032 ✓</u>
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-825</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Field Setup	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): _____
	TOXICS (Y/N): <u>✓ Ethylene Oxide</u>	Duplicate Can #: _____
	METHANE (Y/N): <u>N</u>	Date: <u>4/7/20</u> <u>4/2/20</u>
	Relinquished by: <u>[Signature]</u>	
Field Recovery	Received by: <u>EM</u>	Date: <u>4-3-2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-1119130-V4-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>✓</u>
Lab Recovery	Field Initial Can. Press.: <u>22</u> psig psia <u>Ⓜ</u> (Circle one)	
	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24 hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>.5</u> psig psia <u>Ⓜ</u> (Circle one)	Canister Valve Closed (Y/N): <u>✓</u>
Lab Recovery	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4-8-2020</u>
	Relinquished by: <u>DS</u>	
	Received by: <u>RF</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>4.00</u> psig <u>Ⓜ</u> (Circle one) Converted to psia: _____	
Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: Sample outside 30 days



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-06

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>18883 ✓</u>
	City/State: <u>Waukegan IL</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Field Setup	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>JL</u>	Date: <u>4/20/20</u>
Field Recovery	Received by: <u>EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-1119130-M5-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Lab Recovery	Field Initial Can. Press.: <u>30</u> psig psia Hg (Circle one)	
	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>11</u> psig psia Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Lab Recovery	Status: VALID VOID (Circle one)	Date: <u>4-8-2020</u>
	Relinquished by: <u>DS</u>	
	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>10.00</u> psig psia Hg (Circle one)	Converted to psia: _____
Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample Outside 30 days



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-07

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>18830</u> ✓
	City/State: <u>Waukegan IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>182-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>5/5/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: _____
TOXICS (Y/N): <u>4 Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>		Date: <u>4/2/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11141130-M3-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia (H) (Circle one)		
Field Recovery	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>9</u> psig psia (H) (Circle one)	
	Status: (VALID) VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Relinquished by: <u>DS</u>		Date: <u>4-8-2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig (H) (Circle one)	Converted to psia: _____
	Status: (VALID) VOID (Circle one)	Gauge: <u>1</u> (2) (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-08

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>SAT138 ✓</u>
	City/State: <u>Waukegan IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>A2-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Field Setup	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
	METHANE (Y/N): <u>Y</u>	
	Relinquished by: <u>[Signature]</u>	Date: <u>4/2/20</u>
Field Recovery	Received by: <u>EM</u>	Date: <u>4-3-2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11191130-M4-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Lab Recovery	Field Initial Can. Press.: <u>30</u> psig psia <u>(Hg)</u> (Circle one)	
	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>9</u> psig psia <u>(Hg)</u> (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Lab Recovery	Status: <u>(VALID)</u> VOID (Circle one)	Relinquished by: <u>DS</u>
	Date: <u>4-8-2020</u>	
	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>9.00</u> psig <u>(Hg)</u> (Circle one) Converted to psia: _____	
Status: <u>(VALID)</u> VOID (Circle one)	Gauge: <u>1</u> <u>(2)</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-09

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>A21095 ✓</u>
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>172-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Y Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>[Signature]</u>		Date: <u>4/2/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4-3-2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-1197130-V5-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia <input checked="" type="radio"/> (Circle one)		
Field Recovery	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia <input checked="" type="radio"/> (Circle one)	
	Status: <input checked="" type="radio"/> VALID <input type="radio"/> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Relinquished by: <u>DS</u>		Date: <u>4-8-2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>8.00</u> psig <input checked="" type="radio"/> (Circle one)	Converted to psia: _____
	Status: <input checked="" type="radio"/> VALID <input type="radio"/> VOID (Circle one)	Gauge: <u>1</u> <input checked="" type="radio"/> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-i0

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>SHT179 ✓</u>
	City/State: <u>Waukegan IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H1-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
	Options:	Duplicate Event (Y/N): <u>W</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>[Signature]</u>	Date: <u>4/2/20</u>
	Received by: <u>[Signature] EM</u>	Date: <u>4-3-2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11197130-M1-32</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>7</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>DS</u>	Date: <u>4-8-2020</u>
	Received by: <u>[Signature]</u>	Date: <u>4/10/20</u>
Lab Recovery	Lab Final Can. Press.: <u>7.50</u> psig <u>Hg</u> (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-11

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>5044 ✓</u>
	City/State: <u>Gurnee IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>142-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Y Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>ze</u>	Date: <u>4/2/20</u>
	Received by: <u>EM</u>	Date: <u>4/3/2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11197130-020²⁵ 020^{V3 DS}-32</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29^{DS} 30</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>29^{DS} 30</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>DS</u>	Date: <u>4-8-2020</u>
	Received by: <u>Rf</u>	Date: <u>4/16/20</u>
Lab Recovery	Lab Final Can. Press.: <u>9.00</u> psig <u>Hg</u> (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041005-12

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>Lake County</u>	Canister Number: <u>19650 ✓</u>
	City/State: <u>Waukegan</u>	Lab Initial Can. Press. ("Hg): <u>29.6</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-823</u>
	Collection Date: <u>4-7-2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Y Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>je</u>		Date: <u>4/2/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4-3-2020</u>
	Operator: <u>DS</u>	MFC Setting: _____
	System #: <u>Air-11197130-M2-32</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4-7-2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia <input checked="" type="radio"/> Hg (Circle one)		
Field Recovery	Recovery Date: <u>4-8-2020</u>	Sample Duration (3 or 24 hr): <u>24hr</u>
	Operator: <u>DS</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia <input checked="" type="radio"/> Hg (Circle one)	
	Status: <input checked="" type="radio"/> VALID <input type="radio"/> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Relinquished by: <u>DS</u>		Date: <u>4-8-2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/10/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig <input checked="" type="radio"/> Hg (Circle one)	Converted to psia: _____
	Status: <input checked="" type="radio"/> VALID <input type="radio"/> VOID (Circle one)	Gauge: <u>1</u> <input checked="" type="radio"/> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:

Sample outside 30 days



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041523-01

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT033 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u> </u>	Cleaning Batch #: <u>41-825</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/11/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>W</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u> </u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/8/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u> </u>
	System #: <u>Air-11197130-V2-33</u>	Elapsed Timer Reset (Y/N): <u> </u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>"Hg" (Circle one)</u>	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 of 24 hr): <u> </u>
	Operator: <u>EM</u>	Elapsed Time: <u> </u>
	Field Final Can. Press.: <u>8</u> psig psia <u>"Hg" (Circle one)</u>	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>8.00</u> psig <u>"Hg" (Circle one)</u> Converted to psia: <u> </u>	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: <u> </u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # CO41523-02

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19284 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-829</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-11187130-M3-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>"Hg" (Circle one)</u>	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): _____
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>7</u> psig psia <u>"Hg" (Circle one)</u>	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig <u>"Hg" (Circle one)</u> Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # CO41523-03

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>1299 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u>—</u>	Cleaning Batch #: <u>H2-825</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/1/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>—</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RMB</u>	Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>Air-11197130-VA-33</u>	Elapsed Timer Reset (Y/N): <u>—</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>22</u> psig psia <u>Hg</u> (Circle one)	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): <u>—</u>
	Operator: <u>EM</u>	Elapsed Time: <u>—</u>
	Field Final Can. Press.: <u>0</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig <u>Hg</u> (Circle one)	Converted to psia: <u>—</u>
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: <u>—</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041523-01

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT152 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-829</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: _____
TOXICS (Y/N): <u>Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>ptb</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-V3-33</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia (Hg) (Circle one)		
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or <u>24 hr</u>) _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig psia (Hg) (Circle one)	
	Status: (VALID) VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Relinquished by: <u>EM</u>		Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>0.50</u> psig (Hg) (Circle one)	Converted to psia: _____
	Status: (VALID) VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041523-05

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A22294 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
Field Setup	AQS Code: <u>-</u>	Cleaning Batch #: <u>H1-825</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/1/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>
	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-11197130-MS-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
Lab Recovery	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or <u>24</u> hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
Lab Recovery	Field Final Can. Press.: <u>9</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
	Received by: <u>RP</u>	Date: <u>4/15/20</u>
Lab Recovery	Lab Final Can. Press.: <u>8.00</u> psig <u>Hg</u> (Circle one)	Converted to psia: <u>-</u>
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0041523-06

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19291 ✓</u>	
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>	
	AQS Code: <u>-</u>	Cleaning Batch #: <u>171-825</u>	
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/1/20</u>	
Options:			
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>		
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>		
METHANE (Y/N): <u>N</u>			
Relinquished by: <u>MB</u>	Date: <u>4/8/20</u>		
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>	
	Operator: <u>EM</u>	MFC Setting: <u>-</u>	
	System #: <u>AN-11197130-MA-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>	
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>	
Field Initial Can. Press.: <u>29</u> psig psia "Hg" (Circle one)			
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): <u>24 hr</u>	
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>	
	Field Final Can. Press.: <u>6</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>	
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/15/20</u>	
	Lab Final Can. Press.: <u>7.00</u> psig "Hg" (Circle one) Converted to psia: <u>-</u>		
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)	
	If void, why: <u>-</u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



801 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0011523-07

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A21021 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H1-825</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/11/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>Rub</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-1N97130-M1-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): <u>-</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>6</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
Date: <u>4/13/2020</u>		
Lab Recovery	Received by: <u>RL</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>4.00</u> psig "Hg" (Circle one)	Converted to psia: <u>-</u>
	Status: VALID VOID (Circle one)	Gauge: 1 2 (Circle one)
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 2011523-08

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19278</u> ✓
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>42-829</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-11197130-R2-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> psig psia "Hg" (Circle one)	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or <u>24</u> hr): <u>-</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>10</u> psig psia "Hg" (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>Rub</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>6.50</u> psig "Hg" (Circle one) Converted to psia: <u>-</u>	
	Status: VALID VOID (Circle one)	Gauge: 1 27 (Circle one)
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Fortran Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041523-09

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT134 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>29.2</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>HQ-809</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: <u>-</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-1197130-M2-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>27</u> psig psia (Hg (Circle one))	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): <u>-</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>5</u> psig psia (Hg (Circle one))	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>5.50</u> psig (Hg (Circle one))	Converted to psia: <u>-</u>
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0011523-10

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18868 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H1-829</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>EM</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-11197130-V5-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>X</u>
	Field Initial Can. Press.: <u>28</u> psig psia (Hg) (Circle one)	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or <u>24</u> hr): <u>-</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>5</u> psig psia (Hg) (Circle one)	
	Status: (VALID) VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
Lab Recovery	Received by: <u>RUB</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig Hg (Circle one)	Converted to psia: <u>-</u>
	Status: (VALID) VOID (Circle one)	Gauge: 1 (2) (Circle one)
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # COY1523-11

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT140 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-824</u>
	Collection Date: <u>1/10/2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Options:		
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RMB</u>	Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-R1-33</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>y</u>
	Field Initial Can. Press.: <u>28</u> psig psia (Hg) (Circle one)	
Field Recovery	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>8</u> psig psia (Hg) (Circle one)	Canister Valve Closed (Y/N): <u>y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
	Date: <u>4/13/2020</u>	
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig (Hg) (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one) Gauge: 1 2 (Circle one)	
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # CX+11523-12

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>AZ47 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-829</u>
	Collection Date: <u>4/10/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Field Setup	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>—</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>
Field Recovery	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>Air-11197130-V1-33</u>	Elapsed Timer Reset (Y/N): <u>—</u>
	Setup Date: <u>4/10/2020</u>	Canister Valve Opened (Y/N): <u>—</u>
Lab Recovery	Field Initial Can. Press.: <u>28</u> psig psia (Hg) (Circle one)	
	Recovery Date: <u>4/11/2020</u>	Sample Duration (3 or 24 hr): <u>—</u>
	Operator: <u>EM</u>	Elapsed Time: <u>—</u>
	Field Final Can. Press.: <u>6</u> psig psia (Hg) (Circle one)	
Lab Recovery	Status: (VALID) VOID (Circle one)	Canister Valve Closed (Y/N): <u>—</u>
	Relinquished by: <u>EM</u>	Date: <u>4/13/2020</u>
	Received by: <u>RR</u>	Date: <u>4/15/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig (Hg) (Circle one)	Converted to psia: _____
Status: (VALID) VOID (Circle one)	Gauge: <u>1</u> (B) (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # CO-11212--01

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18826 ✓</u>
	City/State: <u>GREENE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-829</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>-</u>
TOXICS (Y/N): <u>Empire Guide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-119A130-RJ-24</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>✓</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>"Hg" (Circle one)</u>	
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or <u>24</u> hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig psia <u>"Hg" (Circle one)</u>	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/14/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig <u>"Hg" (Circle one)</u> Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 00-11618-02

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT015 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-825</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/11/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-1197130-V3-34</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia (Hg) (Circle one)		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: <u>7</u>
	Field Final Can. Press.: <u>7</u> psig psia (Hg) (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/14/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig (Hg) (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one) Gauge: <u>1</u> (2) (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041612-03

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5026</u> ✓	
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>	
	AQS Code: _____	Cleaning Batch #: <u>H1-829</u>	
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/7/20</u>	
Options:			
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>		
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>		
METHANE (Y/N): <u>N</u>			
Relinquished by: <u>RLB</u>	Date: <u>4/8/20</u>		
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>	
	Operator: <u>EM</u>	MFC Setting: _____	
	System #: <u>11192130-11-34</u>	Elapsed Timer Reset (Y/N): <u>-</u>	
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>	
Field Initial Can. Press.: <u>29</u> psig psia "Hg" (Circle one)			
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>	
	Operator: <u>EM</u>	Elapsed Time: _____	
	Field Final Can. Press.: <u>5</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>	
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>	Date: <u>4/14/2020</u>
Lab Recovery	Received by: <u>RL</u>	Date: <u>4/16/20</u>	
	Lab Final Can. Press.: <u>3.00</u> psig "Hg" (Circle one) Converted to psia: _____		
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)	
	If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041018-04

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A21037</u> ✓
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u> </u>	Cleaning Batch #: <u>H1-825</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/1/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u> TOXICS (Y/N): <u>Ethylene Oxide</u> METHANE (Y/N): <u>N</u> Relinquished by: <u>RUB</u>	Duplicate Event (Y/N): <u>N</u> Duplicate Can #: <u>+</u>
	Date: <u>4/8/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u> </u>
	System #: <u>Air-1197150-NA-34</u>	Elapsed Timer Reset (Y/N): <u> </u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>23</u> psig psia <u>(Hg)</u> (Circle one)	
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u> </u>
	Operator: <u>EM</u>	Elapsed Time: <u> </u>
	Field Final Can. Press.: <u>1</u> psig psia <u>(Hg)</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/14/2020</u>
Lab Recovery	Received by: <u>RL</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig <u>(Hg)</u> (Circle one)	Converted to psia: <u> </u>
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>B</u> (Circle one)
	If void, why: <u> </u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0041018-04

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A21037</u> ✓
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-825</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/11/20</u>
Options:		
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>+</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1197150-NA-39</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>23</u> psig <u>psia</u> "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>1</u> psig <u>psia</u> "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/14/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig "Hg" (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>B</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041618-05

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5106 ✓</u>
	City/State: <u>GRANDVIEW IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-829</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>	
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: _____	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/8/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>411-1194130-R2-34</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia <u>"Hg" (Circle one)</u>		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or <u>24</u> hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>11</u> psig psia <u>"Hg" (Circle one)</u>	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/14/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig <u>"Hg" (Circle one)</u> Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one) Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 00-11012-04

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5058 ✓</u>
	City/State: <u>GURNEE ILL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u>✓</u>	Cleaning Batch #: <u>H2-825</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/11/20</u>
Options:		
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-1197132-US-34</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>28</u> psig psia <u>Hg</u> (Circle one)	
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>6</u> psig psia <u>Hg</u> (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/14/2020</u>
	Relinquished by: <u>EM</u>	
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig <u>Hg</u> (Circle one) Converted to psia: <u>-</u>	
	Status: <u>VALID</u> VOID (Circle one) Gauge: <u>1</u> <u>2</u> (Circle one)	
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0041618-01

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18864 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: _____	Cleaning Batch #: <u>4-829</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197120-V2-34</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/14/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig Hg (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0041018-02

801 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5064 ✓</u>
	City/State: <u>WACKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-824</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>3/31/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/13/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>4.1-11A7130-1M0-34</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>9</u> psig psia Hg (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Relinquished by: <u>EM</u>		Date: <u>4/14/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/14/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig Hg (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2018

Comments: _____



ERG Lab ID # 0041018-09

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT073 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>294</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-829</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>	
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>—</u>	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>MB</u>	Date: <u>4/8/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1197130-M3-34</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>26</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>2</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/14/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>PP</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>0</u> psig "Hg" (Circle one) Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one) Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0041018-K

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>33534 ✓</u>
	City/State: <u>WAUKESHA, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H1-825</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/11/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: _____
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>MB</u>	Date: <u>4/8/20</u>
	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1119713B-M4-3A</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or <u>24</u> hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>6</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/14/2020</u>
	Received by: <u>RR</u>	Date: <u>4/16/20</u>
Lab Recovery	Lab Final Can. Press.: <u>6.00</u> psig <u>Hg</u> (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: 1 <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



ERG Lab ID # 0041618-11

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT139 ✓</u>
	City/State: <u>LAKEVIEW, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.5</u>
	AQS Code: <u>—</u>	Cleaning Batch #: <u>HQ-825</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/1/20</u>
Field Setup	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>—</u>
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RUB</u>	Date: <u>4/8/20</u>
Field Recovery	Received by: <u>EM</u>	Date: <u>4/10/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>4.0-119430-12-3A</u>	Elapsed Timer Reset (Y/N): <u>—</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>✓</u>
Lab Recovery	Field Initial Can. Press.: <u>28</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: <u>—</u>
	Field Final Can. Press.: <u>6</u> psig psia <u>Hg</u> (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Lab Recovery	Status: <u>VALID</u> VOID (Circle one)	
	Relinquished by: <u>EM</u>	Date: <u>4/14/2020</u>
	Received by: <u>RR</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>5.00</u> psig <u>Hg</u> (Circle one) Converted to psia: <u>—</u>	
Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> (Circle one)	
If void, why: <u>—</u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



ERG Lab ID # 0041618-12

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5138 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.4</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H2-829</u>
	Collection Date: <u>4/13/2020</u>	Date Can. Cleaned: <u>4/7/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>		Date: <u>4/8/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/12/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>A.C-11197130-VI-34</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>28</u> psig psia <u>Hg</u> (Circle one)		
Field Recovery	Recovery Date: <u>4/14/2020</u>	Sample Duration (3 or 24 hr): <u>2</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>8</u> psig psia <u>Hg</u> (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/14/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/16/20</u>
	Lab Final Can. Press.: <u>700</u> psig <u>Hg</u> (Circle one) Converted to psia: <u>-</u>	
	Status: <u>VALID</u> VOID (Circle one) Gauge: <u>1</u> (Circle one)	
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-01

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5132 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	Method Setting: <u>-</u>
	System #: <u>Air-11197130-M4-35</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>✓</u>
Field Initial Can. Press.: <u>30</u>		psig psia <u>"Hg" (Circle one)</u>
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): <u>2</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>7</u>	psig psia <u>"Hg" (Circle one)</u>
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>✓</u>
Relinquished by: <u>EM</u>		Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>7.50</u>	psig <u>"Hg" (Circle one)</u> Converted to psia: <u>-</u>
	Status: <u>VALID</u> VOID (Circle one)	Gauge: 1 <u>2</u> (Circle one)
If void, why: <u>-</u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-02

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT020 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
	Options: SNMOC (Y/N): <u>N</u> TOXICS (Y/N): <u>Ethylene Oxide</u> METHANE (Y/N): <u>N</u> Relinquished by: <u>RUB</u>	Duplicate Event (Y/N): <u>N</u> Duplicate Can #: _____ Date: <u>4/15/20</u>
Field Setup	Received by: <u>ER</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-R1-35</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig psia "Hg" (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig "Hg" (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-03

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SATC16 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1197130-V1-35</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia "Hg (Circle one)	
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>5</u> psig psia "Hg (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>Rf</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>5.00</u> psig "Hg (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



801 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-04

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A211C1 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Hydroxide</u>		Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>MB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1197130-M3-35</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> , psig psia "Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia "Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
Date: <u>4/20/2020</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>5.50</u> psig "Hg (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 004221605

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>15239 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>—</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): <u>N</u>	
Field Recovery	Relinquished by: <u>MB</u>	Date: <u>4/15/20</u>
	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>A-1197130-M2-35</u>	Elapsed Timer Reset (Y/N): <u>—</u>
Lab Recovery	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig <u>psia</u> ("Hg" (Circle one))	
	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>5</u> psig <u>psia</u> ("Hg" (Circle one))	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): _____
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
	Received by: <u>RF</u>	Date: <u>4/22/20</u>
Lab Recovery	Lab Final Can. Press.: <u>4.50</u> psig <u>(Hg)</u> (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-06

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18877</u> ✓
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: <u> </u>	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>	
TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u> </u>	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u> </u>
	System #: <u>Air-11197130-US-35</u>	Elapsed Timer Reset (Y/N): <u> </u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>28</u>	psig psia <u>Hg</u> (Circle one)	
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 of <u>24</u> hr): <u> </u>
	Operator: <u>EM</u>	Elapsed Time: <u> </u>
	Field Final Can. Press.: <u>3</u>	psig psia <u>Hg</u> (Circle one)
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>	
Lab Recovery	Received by: <u>RMB</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>4.00</u>	psig <u>Hg</u> (Circle one) Converted to psia: <u> </u>
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: <u> </u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0042216-07

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19064 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: _____
TOXICS (Y/N): <u>Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>MB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-MS-35</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia <u>"Hg" (Circle one)</u>		
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or <u>24</u> hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>8</u> psig psia <u>"Hg" (Circle one)</u>	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig <u>"Hg" (Circle one)</u> Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1 2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # CO42216 08

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19649 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>H1-833</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/13/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>MB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-1119730-V2-35</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia "Hg" (Circle one)	
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr?): <u>-</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>6</u> psig psia "Hg" (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/21/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig "Hg" (Circle one) Converted to psia: <u>-</u>	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
	If void, why: <u>-</u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



801 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0012216-09

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT120 ✓</u>
	City/State: <u>CAURKE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: <u> </u>	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u> </u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u> </u>
	System #: <u>Air-11197130-V3-25</u>	Elapsed Timer Reset (Y/N): <u> </u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia <u>"Hg" (Circle one)</u>	
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): <u> </u>
	Operator: <u>EM</u>	Elapsed Time: <u> </u>
	Field Final Can. Press.: <u>7</u> psig psia <u>"Hg" (Circle one)</u>	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u> </u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig <u>"Hg" (Circle one)</u> Converted to psia: <u> </u>	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: <u> </u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # C042216-10

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>5130 ✓</u>
	City/State: <u>GURNEE IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
Field Setup	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: _____
	TOXICS (Y/N): <u>Ethylene Oxide</u>	
	METHANE (Y/N): _____	
Field Recovery	Relinquished by: <u>RUB</u>	Date: <u>4/19/20</u>
	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-11197130-V4-35</u>	Elapsed Timer Reset (Y/N): _____
Lab Recovery	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>23</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 of 24 hr): _____
	Operator: <u>EM</u>	Elapsed Time: _____
Lab Recovery	Field Final Can. Press.: <u>0</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
	Received by: <u>RF</u>	Date: <u>4/22/20</u>
Lab Recovery	Lab Final Can. Press.: <u>8.00</u> psig <u>Hg</u> (Circle one) Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-11

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY,</u>	Canister Number: <u>13580 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: _____
TOXICS (Y/N): <u>Ethylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>AMB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>✓</u>
	System #: <u>Air - 1197130 - M1-35</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): <u>24 hr</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>4</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
Date: <u>4/20/2020</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>4.00</u> psig "Hg" (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> 2 (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-12

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT116 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: <u>—</u>	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/16/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>—</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>AT EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>Air-11197130-82-35</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia <u>"Hg" (Circle one)</u>		
Field Recovery	Recovery Date: <u>4/17/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: <u>—</u>
	Field Final Can. Press.: <u>8</u> psig psia <u>"Hg" (Circle one)</u>	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>Rf</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>5.00</u> psig <u>"Hg" (Circle one)</u> Converted to psia: <u>—</u>	
	Status: <u>VALID</u> VOID (Circle one) Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: <u>—</u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # CO42216-13

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT035 ✓</u>
	City/State: <u>GULF BREEZE, FL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: <u>-</u>	Cleaning Batch #: <u>141-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Athylene Oxide</u>		Duplicate Can #: <u>-</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>MB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>-</u>
	System #: <u>Air-11197130-R2-36</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: <u>-</u>
	Field Final Can. Press.: <u>8</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/20/20</u>
	Lab Final Can. Press.: <u>7.00</u> psig "Hg" (Circle one) Converted to psia: <u>-</u>	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-14

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A21033</u> ✓
	City/State: <u>CORNEL, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>Rub</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>ACC-1197130-V5-36</u>	Elapsed Timer Reset (Y/N): <u>-</u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>4</u> psig psia Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>Rg</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig Hg (Circle one)	Converted to psia: _____
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0042216-15

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>13335 ✓</u>
	City/State: <u>GURNEE IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: <u>✓</u>	Cleaning Batch #: <u>H1-833</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/13/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>N</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: <u>---</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EA</u>	Date: <u>4/16/2020</u>
	Operator: <u>EA</u>	MFC Setting: <u>---</u>
	System #: <u>ACCUM97130 V3-36</u>	Elapsed Timer Reset (Y/N): <u>---</u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>25</u> psig psia "Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EA</u>	Elapsed Time: <u>---</u>
	Field Final Can. Press.: <u>1</u> psig psia "Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EA</u>		
Lab Recovery	Received by: <u>hf</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>0.00</u> psig "Hg (Circle one) Converted to psia: <u>---</u>	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> (Circle one)
If void, why: <u>---</u>		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-16

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT013 ✓</u>
	City/State: <u>BURNING, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
Options:		Duplicate Event (Y/N): <u>N</u>
SNMOC (Y/N): <u>N</u>		Duplicate Can #: <u>—</u>
TOXICS (Y/N): <u>Acetylene Oxide</u>		
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>Air 11197130-VA-36</u>	Elas. Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/16/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia "Hg" (Circle one)		
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>24</u>
	Operator: <u>EM</u>	Elapsed Time: <u>—</u>
	Field Final Can. Press.: <u>8</u> psig psia "Hg" (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>8.00</u> psig "Hg" (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one) Gauge: <u>1</u> 2 (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0042216-17

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19641</u> ✓
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
	Options:	Duplicate Event (Y/N): <u>N</u>
	SNMOC (Y/N): <u>N</u>	Duplicate Can #: <u>—</u>
	TOXICS (Y/N): <u>Acrylonitrile</u>	
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>MB</u>	Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1197130-M3-36</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> psig psia <u>Hg</u> (Circle one)	
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig psia <u>Hg</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RE</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>6.00</u> psig <u>Hg</u> (Circle one) Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-18

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>19288 ✓</u>
	City/State: <u>WAUKEGAN, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: <u> </u>	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u> </u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/19/20</u>	
Field Setup	Received by: <u>ELM</u>	Date: <u>4/16/2020</u>
	Operator: <u>ELM</u>	MFC Setting: <u> </u>
	System #: <u>Air-11197130-M1-36</u>	Elapsed Timer Reset (Y/N): <u> </u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>29</u> psig psia "Hg (Circle one)	
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u> </u>
	Operator: <u>ELM</u>	Elapsed Time: <u> </u>
	Field Final Can. Press.: <u>4</u> psig psia "Hg (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>ELM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>5.00</u> psig "Hg (Circle one) Converted to psia: <u> </u>	
	Status: VALID VOID (Circle one)	Gauge: 1 2 (Circle one)
	If void, why: <u> </u>	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



ERG Lab ID # 0042216-19

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>2767 ✓</u>
	City/State: <u>LAUREL, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
Options:		
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>	
TOXICS (Y/N): <u>ethylene oxide</u>	Duplicate Can #: _____	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RUB</u>	Date: <u>4/19/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1117130-145-34</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>30</u> psig psia "Hg (Circle one)		
Field Recovery	Recovery Date: <u>4/30/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>7</u> psig psia "Hg (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: VALID VOID (Circle one)	Relinquished by: <u>EM</u>
	Date: <u>4/30/2020</u>	
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig "Hg (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments:



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0642216-20

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT113 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: _____	Cleaning Batch #: <u>H2-831</u>
	Collection Date: <u>4/9/2020</u>	Date Can. Cleaned: <u>4/9/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: <u>—</u>
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: <u>—</u>
	System #: <u>AV-11197130-V4-36</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/13/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>22</u> psig psia "Hg" (Circle one)	
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>0</u> psig psia "Hg" (Circle one)	
	Status: VALID VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig "Hg" (Circle one) Converted to psia: _____	
	Status: VALID VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # C042216-21

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>18829 ✓</u>
	City/State: <u>SURNEC, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.7</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
Field Setup	Options: SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: _____
	METHANE (Y/N): <u>N</u>	
	Relinquished by: <u>RMB</u>	Date: <u>4/15/20</u>
Field Recovery	Received by: <u>EM</u>	Date: <u>4/15/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Acc-11197150-V1-36</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Lab Recovery	Field Initial Can. Press.: <u>23</u> psig psia <u>Hg</u> (Circle one)	
	Recovery Date: <u>4/30/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>0</u> psig psia <u>Hg</u> (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
Lab Recovery	Status: <u>VALID</u> VOID (Circle one)	
	Relinquished by: <u>EM</u>	Date: <u>4/30/2020</u>
	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>0.00</u> psig <u>Hg</u> (Circle one) Converted to psia: _____	
Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



ERG Lab ID # 0042216-22

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>A21040 ✓</u>
	City/State: <u>WARRICKVILLE IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: _____	Cleaning Batch #: <u>41-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
Options:		
SNMOC (Y/N): <u>N</u>		Duplicate Event (Y/N): <u>Y</u>
TOXICS (Y/N): <u>Ethylene Oxide</u>		Duplicate Can #: _____
METHANE (Y/N): <u>Y</u>		
Relinquished by: <u>RMB</u>		Date: <u>4/15/20</u>
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>AC-11197130-M2-38</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>28</u> psig psia <u>"Hg" (Circle one)</u>		
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>4</u> psig psia <u>"Hg" (Circle one)</u>	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RR</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>5.50</u> psig <u>"Hg" (Circle one)</u> Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one) Gauge: <u>1</u> <u>2</u> (Circle one)	
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # 0042216-23

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SAT048 ✓</u>
	City/State: <u>GURNEE, IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-831</u>
	Collection Date: <u>4/19/2020</u>	Date Can. Cleaned: <u>4/19/20</u>
	Options:	
	SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>Y</u>
	TOXICS (Y/N): <u>Ethylene Oxide</u>	Duplicate Can #: _____
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/15/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>ACC-1137130-4-36</u>	Elapsed Timer Reset (Y/N): _____
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
	Field Initial Can. Press.: <u>30</u> . psig psia <u>(Hg)</u> (Circle one)	
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>5</u> psig psia <u>(Hg)</u> (Circle one)	
	Status: <u>VALID</u> VOID (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Relinquished by: <u>EM</u>	Date: <u>4/20/2020</u>
Lab Recovery	Received by: <u>RP</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>7.50</u> psig <u>(Hg)</u> (Circle one) Converted to psia: _____	
	Status: <u>VALID</u> VOID (Circle one)	Gauge: 1 <u>2</u> (Circle one)
	If void, why: _____	

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: _____



Eastern Research Group, Inc.

601 Keystone Park Drive, Suite 700, Morrisville, NC 27560

ERG Lab ID # CO42216-24

AIR TOXICS SAMPLE CHAIN OF CUSTODY

Lab Pre-Sampling	Site Code: <u>LAKE COUNTY</u>	Canister Number: <u>SATCH4 ✓</u>
	City/State: <u>WAUKEGAN IL</u>	Lab Initial Can. Press. ("Hg): <u>29.8</u>
	AQS Code: _____	Cleaning Batch #: <u>H1-833</u>
	Collection Date: <u>4/12/2020</u>	Date Can. Cleaned: <u>4/13/20</u>
Options:		
SNMOC (Y/N): <u>N</u>	Duplicate Event (Y/N): <u>N</u>	
TOXICS (Y/N): <u>Acetylene Oxide</u>	Duplicate Can #: _____	
METHANE (Y/N): <u>N</u>		
Relinquished by: <u>RMB</u>	Date: <u>4/15/20</u>	
Field Setup	Received by: <u>EM</u>	Date: <u>4/16/2020</u>
	Operator: <u>EM</u>	MFC Setting: _____
	System #: <u>Air-1187130-14-36</u>	Elapsed Timer Reset (Y/N): <u>Y</u>
	Setup Date: <u>4/19/2020</u>	Canister Valve Opened (Y/N): <u>Y</u>
Field Initial Can. Press.: <u>29</u> psig psia <u>Hg</u> (Circle one)		
Field Recovery	Recovery Date: <u>4/20/2020</u>	Sample Duration (3 or 24 hr): <u>3</u>
	Operator: <u>EM</u>	Elapsed Time: _____
	Field Final Can. Press.: <u>6</u> psig psia <u>Hg</u> (Circle one)	Canister Valve Closed (Y/N): <u>Y</u>
	Status: <u>VALID</u> VOID (Circle one)	Date: <u>4/20/2020</u>
Relinquished by: <u>EM</u>		
Lab Recovery	Received by: <u>RF</u>	Date: <u>4/22/20</u>
	Lab Final Can. Press.: <u>6.50</u> psig <u>Hg</u> (Circle one)	Converted to psia: _____
	Status: <u>VALID</u> VOID (Circle one)	Gauge: <u>1</u> <u>2</u> (Circle one)
If void, why: _____		

Samples stored in Air Tox Lab (Room 130)

5-2016

Comments: